

Work Order ID 60758

Thursday, July 22, 2010 10:49:42 AM



Page 1

Item ID: D2989-043

Accept



Setup Start



Revision ID:

Item Name: Basket Lid Assembly

Stop



Start Date: 7/22/2010 Start Qty: 1.00



Cust Item ID:

Required Date: 7/29/2010 Req'd Qty: 1.00



Customer:

Reference:

Approvals:

Process Plan:

PD

Date:

10-7-21

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D2989

Rev D

100

0.00



Large Fab

Large Fab

Memo

0.00

Large Fab

1- assemble all ribs in DT9446 jig, weld as per dwg D2989
2- tack weld mesh on basket as per dwg D2989 using DT9446 jig
3- to locate hinges and shims use D2989-041, weld as per dwg D2989
A/R ER316 S.S. Rod Batch: *H108715*

PD 10.07.25

110

QC9- Inspect visual per QSI004- Fusion Welds

0.00



QC

Memo

0.00

Quality Control

Pl 10.07.29

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 60758

Thursday, July 22, 2010 10:49:42 AM



Page 2

Item ID: D2989-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Basket Lid Assembly

Start Date: 7/22/2010 Start Qty: 1.00



Cust Item ID:

Required Date: 7/29/2010 Req'd Qty: 1.00

Customer:

Reference:

Run Start



Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

120

QC6- Inspect dimensions to drawing

0.00



QC

Memo

0.00

Quality Control

125

Pressure Wash per QSI005 4.3

0.00



HandFinish

Memo

0.00

Hand Finishing

8.010729

=> 10/07/29

⊗

X1 ∅

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DCA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 60758

Thursday, July 22, 2010 10:49:42 AM

Page 3

Item ID: D2989-043

Accept

Setup Start

Revision ID:

Stop

Item Name: Basket Lid Assembly

Start Date: 7/22/2010 Start Qty: 1.00

Cust Item ID:

Required Date: 7/29/2010 Req'd Qty: 1.00

Customer:

Reference:

Run Start

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 Powdercoat Powder Coating	White Gloss(Ref:4.3.5.2) per QSI005 4.3-Steel 11114841 Memo 1-Plug holes prior to powder coating 2-Powder Coat White (Ref. 4.3.5.2) D2989-041 as per QSI 005 4.3 & Dwg D2989 1ST COAT START TIME: 2:30pm OVEN TEMPERATURE: 400°F FINISH TIME: 3:00pm ***** 2nd coat if necessary ***** 2ND COAT: START TIME: 3:15pm OVEN TEMPERATURE: 400°F FINISH TIME: 3:45pm	0.00 0.00		10/07/29		1	0		
140 QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.00		8/10/130					

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 60758

Thursday, July 22, 2010 10:49:42 AM

Page 4

Item ID: D2989-043

Accept

Setup Start

Revision ID:

Stop

Item Name: Basket Lid Assembly

Start Date: 7/22/2010 Start Qty: 1.00

Cust Item ID:

Required Date: 7/29/2010 Req'd Qty: 1.00

Customer:

Reference:

Run Start

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150 Packaging Packaging	Identify as per dwg & Stock Location: _____ w/o 60756 Memo D350-607-043	0.00 0.00	10/07/30			1	0		
160 QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.00							10/07/30 10-7-30 ①

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, July 22, 2010 10:49:47 AM

Page 1

Work Order ID: 60758



Parent Item: D2989-043



Parent Item Name: Basket Lid Assembly

Start Date: 7/22/2010

Required Date: 7/29/2010

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:I Removed D2989-041 05-11-03 JLM
 IPP Rev:J 08-08-29 revC as per dwg DD verified by:EC
 IPP Rev:K 08-09-24 plug holes prior to powder coating DD verified by:EC
 IPP Rev:L 08-12-02 revD as per dwg DD verified by:

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D2221-1 		Manufactured	No			100	Each	16.0000	1	1			
Rib													

Location	Loc Qty	Loc Code
----------	---------	----------

WA	16	
59275	4	
60172	12	

D2989-3 		Manufactured	No			100	Each	5.0000	1	1			
Rib													

Location	Loc Qty	Loc Code
----------	---------	----------

WA	5	
59006	1	
59034	1	
59985	1	
60552	2	

D2989-4 		Manufactured	No			100	Each	2.0000	1	1			
Rib													

Location	Loc Qty	Loc Code
----------	---------	----------

WA	2	
60551	2	

10.07.26

10.07.26

10.07.26

B39036

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Page 2

Thursday, July 22, 2010 10:49:47 AM

Work Order ID: 60758

Parent Item: D2989-043

Parent Item Name: Basket Lid Assembly

Start Date: 7/22/2010

Required Date: 7/29/2010

Start Qty: 1.00

Required Qty: 1.00

D2989-5

Manufactured No

100

Each

4.0000

2

2



Rib

Location

Loc Qty

Loc Code

ST

4

60555

4

D3182-1

Manufactured No

100

Each

6.0000

2

2



Hinge

Location

Loc Qty

Loc Code

WA

6

59291

2

60176

4

D3442-3

Manufactured No

100

Each

6.0000

2

2



Shim

Location

Loc Qty

Loc Code

WA

6

59290

2

60550

4

D3827-041

Manufactured No

100

Each

5.0000

1

1



Rib Assembly (Inboard)

Location

Loc Qty

Loc Code

WA

5

59982

5

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, July 22, 2010 10:49:47 AM

Page 3

Work Order ID: 60758

Parent Item: D2989-043


Parent Item Name: Basket Lid Assembly

Start Date: 7/22/2010


Required Date: 7/29/2010


Start Qty: 1.00

Required Qty: 1.00


D3832-5 Manufactured No 100 Each 4.0000 1 1

 Mesh (Lid)


Location	Loc Qty	Loc Code
WA	4	
59181	1	①
60131	3	

 PD 10.07.28


D3833-5 Manufactured No 100 Each 13.0000 2 2

 Mesh (Lid End)


Location	Loc Qty	Loc Code
WA	13	
53722	1	
59412	6	②
60673	6	

 PD 10.07.28


D3838-041 Manufactured No 100 Each 1.0000 1 1

 Rib Assembly (Basket Lid, LH)

Location	Loc Qty	Loc Code
WA	1	
59846	1	①

 PD 10.07.26

D3838-042 Manufactured No 100 Each 1.0000 1 1

 Rib Assembly (Basket Lid, RH)

Location	Loc Qty	Loc Code
WA	1	
59847	1	①

 PD 10.07.26

Thursday, July 22, 2010 10:49:47 AM

Shop Packet Print

Page 3

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

D2989-043 BASKET LID ASSEMBLY
(MESH SHOWN LOCALLY FOR CLARITY)



D2989-041 BASKET LID ASSEMBLY
(MESH SHOWN LOCALLY FOR CLARITY)

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

NO. 60758

BA 10-721

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT AS INDICATED PER DART QSI 005 4.4
SPRAY PAINT INSIDE SURFACE BLACK PRIOR TO APPLYING ANTI-SKID
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: D2989-041 = 26.50 lbs; D2989-043 = 15.50 lbs
- 8) WELD PER DART QSI 004

ITEM	QTY -041	QTY -043	P/N	DESCRIPTION
1	X		D2989-041	BASKET LID ASSEMBLY
2		X	D2989-043	BASKET LID ASSEMBLY
3	1		D2506	LABEL PLATE
4	1		D2512-7	RIB
5	2		D2581	MOUNTING BRACKET
6		1	D2989-3	RIB
7		1	D2989-4	RIB
8		2	D2989-5	RIB
9	2		D2989-13	RIB
10	2	1	D2989-17	RIB
11	2		D2989-19	RIB
12		2	D3182-1	HINGE
13		2	D3442-3	SHIM
14		1	D3827-041	RIB ASSY (INBOARD)
15	1		D3832-3	MESH, BASKET LID
16		1	D3832-5	MESH, BASKET LID
17	2		D3833-3	MESH, LID END
18		2	D3833-5	MESH, LID END
19	1		D3836-041	RIB ASSY (BASKET LID, LH)
20	1		D3836-042	RIB ASSY (BASKET LID, RH)
21		1	D3838-041	RIB ASSY (BASKET LID, LH)
22		1	D3838-042	RIB ASSY (BASKET LID, RH)
23	1		D3852-041	RIB ASSEMBLY
24	1		D3852-042	RIB ASSEMBLY

RELEASED
08/11/18

D	REVISED -041/-043 PARTS LISTS AND ADDED "ITEM" COLUMN TO PARTS LIST (ZN D3-1); D3836-041 REPLACES D2989-9/-15; D3836-042 REPLACES D2989-10/-15; D3838-041 REPLACES D2989-1/-7; D3838-042 REPLACES D2989-2/-7; D3852-041 REPLACES D2989-11; D3852-042 REPLACES D2989-2; REMOVED D2327-3 (NOW INSTALLED ON D3836 DWG), D2989-9/-10 (NOW ON D3836 DWG), D2989-1/-2/-7/-15 (NOW ON D3838 DWG) AND D2989-11/-12 (NOW ON D3852 DWG). REASON: TO SATISFY "LEAN MANUFACTURING" PROGRAM	MB	08.09.24
C	FRAME MATERIAL WAS 0.060 WALL; MESH MATERIAL UPDATED; DRAWING TRANSFERRED TO "B" FORMAT AND CURRENT DRAFTING STANDARD	AJS	08.06.20
B	ADD SHIM UNDER HINGES, UPDATE LID DIMENSIONS	PH	05.06.07
A	NEW ISSUE	DS	00.10.27
REV.	DESCRIPTION	BY	DATE
DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN		DRAWING NO.	REV. D
CHECKED	DS	D2989	SHEET 1 OF 5
MFG. APPR.		TITLE	SCALE
APPROVED		BASKET LID ASSEMBLY	NTS
DE APPR.		COPYRIGHT © 2000 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	08.09.24		


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN	DS	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	3	DRAWING NO.	REV. D
MFG. APPR.		D2989	SHEET 2 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BASKET LID ASSEMBLY	NTS
DATE	08.09.24	COPYRIGHT © 2006 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

0.75 X 45°
CHAMFER



D2989-3 RIB

0.75 X 45°
CHAMFER




D2989-4 RIB

w/o 60758

RELEASED
08/11/18

NOTES:

- 1) MATERIAL: D3166-3 BASKET HOOP
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 8) WEIGHT: D2989-3/-4 = 0.39 lbs;



**TYPICAL SECTION
VIEW**

DESIGN	DS	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. D
MFG. APPR.		D2989	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BASKET LID ASSEMBLY	NTS
DATE	08.09.24	<small>COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

Dart Aerospace Ltd



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




D2989-17 RIB



D2989-19 RIB

w/o 60758



TYPICAL SECTION VIEW

RELEASED
08/11/18

- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SQUARE TUBE, 0.75 X 0.75 X 0.065 WALL
REF. DART SPEC. M304TS0.750W0.065
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 8) WEIGHT: D2989-5 = 0.37 lbs; D2989-13 = 0.81 lbs; D2989-17 = 4.57 lbs; D2989-19 = 1.50 lbs

DESIGN	DS	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. D
MFG. APPR.		D2989	SHEET 5 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.		BASKET LID ASSEMBLY	NTS
DATE	08.09.24	<small>COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries